

AI-Powered Cyber-Physical Systems: A New Frontier in Securing Healthcare from Cyber Attacks

Dr. Akhil Ahmedabad

Associate Professor, Dhaka University, BANGLADESH.



www.sjmars.com || Vol. 2 No. 4 (2023): August Issue

Date of Submission: 17-07-2023

Date of Acceptance: 13-08-2023

Date of Publication: 31-08-2023

ABSTRACT

There is a rising need for adequate cybersecurity safeguards to protect patient data, medical equipment, and crucial infrastructure as healthcare systems become more digitized. Effective security solutions are required for these intricate settings because of the range of medical equipment used within this system, i.e., Mobile Devices (MD) and Body Sensor Nodes (BSN). Healthcare facilities may utilize artificial intelligence (AI) techniques and cyber-physical systems (CPS) to identify and thwart cyberattacks. A novel machine learning threat detection framework for safe healthcare data transfer has been suggested in this research. Smart Healthcare Cyber-Physical Systems (SHCPS) can distribute the gathered data to cloud storage. Cyberattack patterns may be predicted using AI models, and this information is processed to aid healthcare professionals in making decisions. The proposed system begins with a medical record and preprocesses it using a normalization method. The novel jellyfish-optimized weighted dropped binary long short-term memory (JFO-WDB-LSTM) technique ultimately distinguishes between valid and erroneous healthcare data. Compared to other models, our suggested model achieves attack prediction ratios of 98%, detection accuracy ratios of 88%, delay ratios of 50%, and communication costs of 67%, according to experimental results.

Keywords- Cyber-physical system (CPS), artificial intelligence (AI), healthcare, data normalization, jellyfish optimized weighted dropped binary long short-term memory (JFO-WDB-LSTM) approach.

I. INTRODUCTION

The SHCPS, a system for the future, would help the medical industry effectively handle a pandemic disaster. These systems include the patient's actual environment, medical tools and equipment, externally controlled and monitored medical care, and connected techniques that use communication networks to transfer and exchange physiological data with the internet to analyze it for feedback and control signals [1]. CPS allows for the seamless integration of the physical and digital worlds using computer-based algorithms. A process is managed and controlled by a CPS [2]. The CPS can withstand data assaults like Man in the Middle attacks, tampering with medical data, ransomware attacks like Wannacry, etc. By storing medical data on the blockchain and analyzing it using cutting-edge techniques like convolution neural networks, this system may enhance the privacy and preservation of such data [3]. CPS seeks to combine data processing, networking, and physical techniques. A CPS comprises linked computational things collaborating with the cosmos and its processes [4]. The fourth industrial revolution (4IR), too identified as Industry 4.0 or CPS, has changed business and technology and is now an essential component of daily life. They are currently employed in various application fields, including smart environments and buildings, autonomous vehicles, industrial control systems, medical monitoring, military defense technologies, and physical security systems [5].

Industry 4.0 advanced internet technologies like Internet of Things (IoT), Service Delivery Networks (SDN), and cloud computing have made it possible to implement smart security (SS), smart homes (SH), smart healthcare systems (SHS), and cloud computing (CC), to name a few [6]. Smart city design and implementation have been greatly facilitated by the rapid growth of IoT, cloud computing, communication technologies, CPS, and other software technologies [7]. CPS are cutting-edge technologies that link computation and network infrastructure with activities in physical reality. CPS

focuses on connecting many devices with integrated components, often designed to perform as standalone devices [8].

II. RELATED WORKS

The research [9] covered several helpful, logical operators for network connections, increasing performance, decreasing latency, disclosing the optimal pathways, high-speed and secure processor communication, and many heterogeneous sensing devices. The research [10] decided to put forward the Self-tuned Fuzzy Logic-based Hidden Markov Model (SFL-HMM) with Heuristic Multi-Swarm Optimization (HMS-ACO) method to identify cyberattacks. The article [11] suggested Supervised Machine Learning (SML) along with a Cryptographic Parameter-Based Encryption and Decryption (CPBE&D) scheme as a hybrid lightweight authentication solution to meet the verification as well as data privacy problems (DPP) in Smart Healthcare (SH). This program guarantees that only authorized patient wearables are sent securely across wireless communication channels. The effects of the most recent cyberattacks on CPS are surveyed in [12].

The research [13] discusses recent research using CPS and Artificial Intelligence (AI) in several fields. The author [14] explored the intricacies of Cyber-Physical Systems, one of the most significant technological revolutions, and the growing importance of artificial intelligence approaches in these systems. The research [15] suggested a federated learning (FL) architecture for healthcare-based CPSs that is blockchain-enabled. The article [16] offered several insightful observations on the security examination of CPS using machine learning. The author [17] thoroughly analyzed the many CPS security circumstances, assaults, distinct modeling approaches for assaults, and the need for CPS testbeds. The IoT Device Network System in terms of CPS was motivated by the necessity for in-depth acquaintance with IoT Device Applications to be explored from a parameters point of view [18]. The article [19] proposed that detecting Distributed Denial of Service (DDoS) assaults should be the Medical Cyber-Physical System's (MCPS) primary objective. The author [20] studied the Attack Isolation (AI) and Attack Location (AL) issues for a CPS, where the actual control system at the physical layer is a nonlinear complex network system, using the H-infinity observer and the zonotope theory.

III. PROPOSED METHOD

Cyber-Physical Systems (CPS) methodology designates a systematic approach or framework for creating, advancing, and deploying intricately linked systems that include both computational and physical aspects. The CPS technique aims to ensure the effective and efficient integration of biological processes, computer systems, and networking infrastructure to provide dependable, secure, and high-performance cyber-physical systems.

3.1. Data accumulation using NSL-KDD

The Network Security Laboratory - Knowledge Discovery in Databases (NSL-KDD) dataset will be used instead of the KDD Cup 99 dataset for this study's evaluation of network intrusion detection system performance. Since 1999, Knowledge Discovery and Data Mining (KDD'99) has been the most widely used data set for assessing anomaly detection methods. This data collection was created using information from the DARPA IDS assessment program in 1998. More than 5 million connection records with an average size of around 100 bytes each may be found in the more than 4 gigabytes of raw (binary) compressed TCP dump data from 7 weeks of network activity that make up DARPA'98. The test data covers a two-week period and includes more than 2 million connection records. About 4,900,000 single connection vectors are in the KDD training dataset, each classified as either standard or an attack with a specified attack type and includes 41 characteristics. The mock attacks have been divided into four categories:

1. **Denial of Service attack (DoS):** Only authorized users are permitted access to a system during a DOS attack, and computational or memory resources are overloaded or rendered too busy to process legitimate requests.
2. **User to Root attack (U2R):** A specific kind of vulnerability known as U2R allows an attacker to first access a user account on the system (perhaps by password sniffing, a dictionary attack, or social engineering), then use that access to exploit a hole and get root access to the system.
3. **Remote to Local attack (R2L):** When a hacker who is not permitted to use a system but who can transmit network packets to it takes advantage of a flaw to get user-level local access to the device, this is known as remote-access-by-loan (R2L).
4. **Probing attack:** Getting past a computer network's security protections is the aim of this effort to understand it better.

The work is more realistic since the test data includes several assault kinds that weren't included in the training data. Understanding that the training and test data originate from separate probability distributions is crucial. There are 38 attacks in the training datasets, with 16 attack types for testing and 22 for training. The idea behind these 14 new assaults is to see how well IDS can adapt to new threats. According to KDD 99 study, the duplicate data in the train and test sets is around 78% and 75%, respectively. This substantially impacts the tested systems' efficacy and leads to a very subpar assessment of anomaly detection methods. These problems were solved by creating the superior dataset known as NSL-KDD by reducing the dataset's size and eliminating all redundant and duplicate occurrences. But there is still a significant imbalance in the NSL-KDD dataset.

3.2. Preprocessing

Preprocessing describes the procedures or methods performed on unprocessed data before it is utilized for further analysis or modeling. The NSLKDD dataset's records are each characterized by a vector of 41 characteristics. These attributes comprise thirty-eight continuous or discrete numerical features and three category categories. Since neural networks only need numerical values, we preprocess our data in two stages as follows:

a. Numbering of symbolic elements

A dataset's suggestive features are first translated into numerical values. The service type, protocol type, and TCP status flag are examples of these extended properties.

b. Data Normalization

Normalization is a crucial step in data preparation after converting all symbolic qualities into numerical values. Data normalization is scaling each attribute's value into a proportionate range, removing the bias in the dataset toward features with higher values. Like equation 1, we first normalized the dataset by subtracting the mean from each part, truncating it to ± 3 standard deviation (S.D.), and scaling it from 0 to 9. This preserved the dataset's sparseness structure. Then, using max-min normalization (equation 2), we climbed these characteristics to have a range of 0 to 1. This method will also be used to transmit and normalize test data.

Short-Term Memory (LSTM) network that has been specifically trained for binary classification tasks. This WDBILSTM, architecture application, designed to gather and interpret sequential input, involves making binary predictions or judgments. U is the fully-connected layer weights, b is a nonlinear activation function, N is a binary weight mask, and U is each cell input. The procedure modestly influences training speed since it is only carried once during forward and backward propagation.

$$q = b((N * U)x) \quad (5)$$

Consequently, Smaller weights are encouraged, simplifying the model and lowering overfitting. Fig. 1 illustrates the use of DropConnect in an LSTM network. Each input feature is analyzed using an LSTM network, then a DropConnect layer is applied. While the outcome moves to the next set of layers, some information is transmitted for the subsequent recurrent LSTM network. A thick layer towards the end of the layers combines the nodes to create a single output.

$$v'_j = \frac{v_j - \mu}{\sigma} \quad (1)$$

$$V_{\text{norm},j} = \frac{v'_j - v_{\min}}{v_{\max} - v_{\min}} \quad (2)$$

$v_{\max}$ is the feature's maximum value, $v_{\min}$ is its lowest value, $v_{\text{norm},j}$ is the last step toward normalization, and v_j is the feature that still needs to be normalized. The mean and standard deviation are provided in (3) and (4).

$$\mu = \frac{1}{M} \sum_{j=1}^M V_j \quad (3)$$

$$\sigma^2 = \frac{1}{M-1} \sum_{j=1}^M (\mu - V_j)^2 \quad (4)$$

The letter M indicates the dataset's sample count.

3.3 Classification using Jelly Fish Optimized Weighted Dropped Binary LSTM (JFO-WDBILSTM)

The phrase JFO-WDBILSTM combines several ideas about neural networks and optimization methods. It combines regularization and optimization methods with LSTM-based binary classification.

3.3.1 Weighted Dropped Binary Long Short-Term Memory (WDBILSTM)

According to WDBILSTM, a binary classification LSTM model would be combined with class weights and dropout regularization. The term WDBILSTM, refers to a Long




Fig. 1. Weight-Dropped LSTM Network

3.3.2 Jellyfish optimization

The metaheuristic algorithm known as the jellyfish optimization (JFO) technique was partly developed due to jellyfish activity. Chou and Troung suggested the JFO in 2021.

The following actions are included in the jellyfish's food- finding process:

- Within the swarm, the jellyfish's movement.
- Developing a jellyfish bloom by following the watercirculation.
- The time control mechanism alternates between thejellyfish's two progressive motions.
- Where there is greater food availability, jellyfish are moreattracted to that location.
- The amount of food present depends on the place and itstarget function.

Likelihood of any jellyfish location. Each jellyfish site is within this distribution's tolerance of $\pm\beta\sigma$. Here, β stands for the distribution coefficient, which is assumed to be "3" according to the analysis provided and stands for the standard deviation for the distribution under consideration, which may be calculated using Equation (11) at the swarm's mean position.

$$CE = \beta \times \text{rand}^a(0,1) \times \sigma \quad (10)$$

$$\sigma = \text{rand}^v(0,1) \times \mu' \quad (11)$$

Drift may thus be described mathematically as:

$$\overline{\text{drift}} = v^* - \beta \times \text{rand}(0,1) \times \mu' \quad (12)$$

Drift may thus be formally defined as:

$$v_1(s+1) = v_1(s) + \text{rand}(0,1) \times \overline{\text{drift}} \quad (13)$$




Figure. 2. Behavior of jellyfish in the ocean

Implementing the JFO approach first entails random initialization to disperse the solutions over the issue's search span. After carefully examining each response, the area with the highest fitness value is chosen to serve as a plentiful food supply (fig. 2). The movement of each jellyfish is then updated, depending on the time control factor, either toward the ocean flow or toward progress within the swarm.

a. Ocean current

Ocean currents that carry a lot of nutrients attract jellyfish to them. By averaging the vectors of each jellyfish in the ocean to the jellyfish that now occupies the optimal spot, the ocean current's (i.e., drift's) path is managed. Drift may be calculated mathematically as follows:

$$CE = \beta \times \text{rand}(0,1) \times \sigma \quad (10)$$

$$\sigma = \text{rand}(0,1) \times \mu' \quad (11)$$

Drift may thus be described mathematically as:

$$\text{drift} = v^* - \beta \times \text{rand}(0,1) \times \mu' \quad (12)$$

Drift may thus be formally defined as:

$$v_l(s+1) = v_l(s) + \text{rand}(0,1) \times \text{drift} \quad (13)$$

The current position of the l^{th} jellyfish is shown by $v_l(s)$. Iteration in the algorithm is indicated by the notation time, s.

b. Jellyfish swarm

The word "swarm" refers to a vast group of drifting jellyfish. In a swarm, jellyfish move in one of two ways: passively (type A) or aggressively (type B). Jellyfish move in type A (passive) way as the swarm forms. Equation (14), which describes this motion, states that the jellyfish circle their location before updating each jellyfish's position separately. The jellyfish also mimic type B movement.

Where γ is chosen as (0.1) by the results of the mathematical analysis, and γ refers to the movement coefficient, which impacts how far a jellyfish moves

$$\begin{aligned} \text{drift} &= \frac{1}{M} \sum_{i=1}^M \text{drift}_i \\ &= \frac{1}{M} \sum (v^* - b_d v_l) \\ &= v^* - b_d \frac{\sum v_l}{M} \\ &= v^* - b_d \mu' \end{aligned} \quad (8)$$

Where V^* is the jellyfish in the population currently in the best, M position represents the overall number of jellyfish, b_d represents the strength of the attraction, and μ' represents the area where the swarm often congregates. Let:

$$CE = b_d \times \mu' \quad (9)$$

Here, CE is the distance between the jellyfish of interest's optimal position right now and the swarm's median location. It was predicated on the jellyfish's typical spatial distribution across all dimensions, which gives the In type B motion, a jellyfish (n) different from the one now being studied is randomly picked. The path the jellyfish takes from the one of interest (l) to the jellyfish chosen at random (n) is then shown as a vector. The quantity of food available where the jellyfish (n) is located dictates the movement's direction. In contrast, if there is less food at the jellyfish position (nth), the lth jellyfish travels away from the first jellyfish. Jellyfish position (l) travels toward jellyfish position (n) if there is more food at the latter than at the former. Thus, as shown in Figure 10, each jellyfish moves this way to find the perfect feeding spot inside the swarm. Equations (15) and (18) display a jellyfish's travel direction and most recent position, respectively.

$$\text{direction} = \begin{cases} v_n(s) - v_l(s); & \text{if } (v_n(s)) \geq \text{ff}(v_n(s)) \\ v_n(s) - v_n(s); & \text{if } (v_n(s)) \geq \text{ff}(v_n(s)) \end{cases} \quad (15)$$

Where 'ff' stands for the fitness function.

$$\text{step} = \text{rand}(0,1) \times \text{direction} \quad (16)$$

Since,

$$\text{step} = v_l(s+1) - v_l(s) \quad (17)$$

$$v_l(s+1) = \text{step} + v_l(s) \quad (18)$$

c. Time Control Component

A temporal control system controls the kind of motion that jellyfish engage in. Both type A and type B motion, or the ability of jellyfish to move away from the flow of the water and inside the swarm, are governed by the time component. Figure 11 displays a schematic representation of the time control system.

The movement selection is controlled by the time control method, which makes use of a threshold constant (l_0) and a time control function ($de(t)$) that varies arbitrarily between 0 and 1. Equation (19) uses arithmetic to describe the time control element.




Fig. 3. Attack prediction ratio

3.4. Attack Prediction Ratio (APR)

Attackers try to alter the data distribution of the multi-layer machine learning classifier to alter the scenario for predictions for ML-based HCS. Attacks against medical imagery that would be used to treat fictitious ailments are among them. Universal adversarial concerns may be successfully used to alter the predicted labels in a medical image with high accuracy. The suggested strategy uses destructive assaults on deep prediction models to identify weak links in a medical time chain. APR uses machine learning to detect illnesses and keep track of patients in real time. The ratio for forecasting assaults is shown in Figure 3. The attack prediction ratio for the JFO-




Fig.4. Detection accuracy ratio

IV. RESULT AND DISCUSSION

Experimental findings for the suggested technique (JFO- WDBILSTM) were given based on Performance measures, including Attack Prediction Ratio (APR), Detection Accuracy (DA), Communication Cost (CC), and Efficiency Ratio (ER).

4.1. Delay Ratio

Medical interventions could be more consistent and timely when communication is delayed. Health problems, lengthy wait times, postponed discharges, faulty judgment, and increased stress might all occur. A robust communication infrastructure must be in place to provide high-quality and dependable patient care. The delay ratio is shown in Figure 8. Comparative analysis of delay ratios for JFO- WDBILSTM is (50%) and the MF-Adaboost is (68%), CLS (72%), and CML-ADF is (80%).




Fig. 5. Efficiency ratio

4.2. Detection Accuracy Ratio (DAR)

Using a collection of training data that includes recognized input-output pairs, the model learns to predict the output during the initial training phase, defining the detection accuracy ratio. The detection accuracy ratio is shown in Figure 4. The detection accuracy for the JFO-WDBILSTM is (88%), MF-Adaboost is (72%), CLS is (86%), and CML-ADF is (70%).

4.3. Communication Cost Ratio

Medical treatments not often considered part of the health data gathering may result in significant cost indicators like medical bills and insurance payments. For instance, the little encrypted portion of the data might be extracted and evaluated, and medical data could be computed on the end-user computer. We store the remaining datasets on cloud servers to save money. The ratio of communication costs is shown in Figure 6. Analysis of the JFO-WDBILSTM is (67%), MF-Adaboost is (57%), CLS is (62%), and CML-ADF is (50%) communication cost ratios were evaluated.




Fig. 6. Communication Cost Ratio

V. DISCUSSION

Three proposals for cyber detection in healthcare have been made. Three modern systems that may be compared for performance are the Cognitive Machine Learning Assist Attack Detection Framework (CML-ADF), Multiple Features of Network Traffic with an updated Adaboost (MF-ADABOOST), and Certificateless Signature Scheme (CLS). Cognitive machine learning frameworks often use complex algorithms that need much processing power. When working with many variables or training samples, the MF-ADABOOST approach's computing cost may rise.

The ability to create changeable keys using certificate signature systems (CLS) has made several key management strategies possible. The test findings showed that in terms of high attack predictions, accuracy, efficacy, lower latency, and communication, the JFO-WDBILSTM beat other existing networks, such as the CML-ADF, MF-ADABOOST, and CLS algorithms.

VI. CONCLUSION

This research presents a paradigm for patient data privacy and security in healthcare networks. The security risks at different cyber-physical system levels and research problems linked to developing safe CPS and their respective threat models are briefly analyzed. The JFO- WDBILSTM technology lowers the local workload associated with effectiveness analysis and numerical findings while ensuring CPS confidentiality of healthcare information. When compared to other current models, the suggested model achieves Attack prediction ratios of (98%) and detection accuracy ratio (88%), a delay ratio (50%) and a communication cost (67%). CPS may benefit significantly from AI methods like deep learning and machine learning. Future research should focus on creating AI algorithms to improve control schemes, learn from sensor data, and make wise judgments in real-time. By providing autonomous decision-making, adaptive control, and predictive maintenance, AI may improve the capabilities of CPS.

REFERENCES

- [1] Verma, R., 2022. Smart city healthcare cyber- physical System: characteristics, technologies, and Challenges. *Wireless personal communications*, 122(2), pp.1413-1433.
- [2] 2Kumar, C.V., 2022. A real-time health care cyber attack detection using an ensemble classifier. *Computers and Electrical Engineering*, 101, p.108043. Ch, R., Srivastava, G., Nagasree, Y.L.V., Ponugumati, A. and Ramachandran, S., 2022. Robust Cyber-Physical System Enabled Smart Healthcare Unit Using Blockchain Technology. *Electronics*, 11(19), p.3070.
- [3] Kavuri, S., & Narne, S. (2020). Implementing effective SLO monitoring in high-volume data processing systems. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*, 6(2), 558. <http://ijsrcseit.com>
- [4] Kavuri, S., & Narne, S. (2021). Improving performance of data extracts using window-based refresh strategies. *International Journal of Scientific Research in Science, Engineering and Technology*, 8(5), 359-377. <https://doi.org/10.32628/IJSRSET>
- [5] Narne, S. (2023). Predictive analytics in early disease detection: Applying deep learning to electronic health records. *African Journal of Biological Sciences*, 5(1), 70–101. <https://doi.org/10.48047/AFJBS.5.1.2023>.
- [6] Narne, S. (2022). AI-driven drug discovery: Accelerating the development of novel therapeutics. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(9), 196. <http://www.ijritcc.org>
- [7] Rinkesh Gajera, "Leveraging Procure for Improved Collaboration and Communication in Multi-Stakeholder Construction Projects", *International Journal of Scientific Research in Civil Engineering (IJSRCE)*, ISSN : 2456-6667, Volume 3, Issue 3, pp.47-51, May-June.2019
- [8] Rinkesh Gajera, "Integrating Power Bi with Project Control Systems: Enhancing Real-Time Cost Tracking and Visualization in Construction", *International Journal of Scientific Research in Civil Engineering (IJSRCE)*, ISSN : 2456-6667, Volume 7, Issue 5, pp.154-160, September-October.2023 URL: <https://ijsrcce.com/IJSRCE123761>
- [9] Rinkesh Gajera, 2023. Developing a Hybrid Approach: Combining Traditional and Agile Project Management Methodologies in Construction Using Modern Software Tools, *ESP Journal of Engineering & Technology Advancements* 3(3): 78-83.
- [10] Paulraj, B. (2023). Enhancing Data Engineering Frameworks for Scalable Real-Time Marketing Solutions. *Integrated Journal for Research in Arts and Humanities*, 3(5), 309–315. <https://doi.org/10.55544/ijrah.3.5.34>
- [11] Balachandar, P. (2020). Title of the article. *International Journal of Scientific Research in Science, Engineering and Technology*, 7(5), 401-410. <https://doi.org/10.32628/IJSRSET23103132>
- [12] Paulraj, B. (2022). Building Resilient Data Ingestion Pipelines for Third-Party Vendor Data Integration. *Journal for Research in Applied Sciences and Biotechnology*, 1(1), 97–104. <https://doi.org/10.55544/jrasb.1.1.14>
- [13] Paulraj, B. (2022). The Role of Data Engineering in Facilitating Ps5 Launch Success: A Case Study. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(11), 219–225. <https://doi.org/10.17762/ijritcc.v10i11.11145>
- [14] Paulraj, B. (2019). Automating resource management in big data environments to reduce operational costs. *Tuijin Jishu/Journal of Propulsion Technology*, 40(1). <https://doi.org/10.52783/tjjpt.v40.i1.7905>
- [15] Balachandar Paulraj. (2021). Implementing Feature and Metric Stores for Machine Learning Models in the Gaming Industry. *European Economic Letters (EEL)*, 11(1). Retrieved from <https://www.eelet.org.uk/index.php/journal/article/view/1924>
- [16] Bhatt, S. (2020). Leveraging AWS tools for high availability and disaster recovery in SAP applications. *International Journal of Scientific Research in Science, Engineering and Technology*, 7(2), 482. <https://doi.org/10.32628/IJSRSET2072122>

- [17] Bhatt, S. (2023). A comprehensive guide to SAP data center migrations: Techniques and case studies. *International Journal of Scientific Research in Science, Engineering and Technology*, 10(6), 346. <https://doi.org/10.32628/IJSRSET2310630>
- [18] Kavuri, S., & Narne, S. (2020). Implementing effective SLO monitoring in high-volume data processing systems. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*, 5(6), 558. <https://doi.org/10.32628/CSEIT206479>
- [19] Kavuri, S., & Narne, S. (2023). Improving performance of data extracts using window-based refresh strategies. *International Journal of Scientific Research in Science, Engineering and Technology*, 10(6), 359. <https://doi.org/10.32628/IJSRSET2310631>
- [20] Swethasri Kavuri, " Advanced Debugging Techniques for Multi-Processor Communication in 5G Systems, *International Journal of Scientific Research in Computer Science, Engineering and Information Technology(IJSRCSEIT)*, ISSN : 2456-3307, Volume 9, Issue 5, pp.360-384, September-October-2023. Available at doi : <https://doi.org/10.32628/CSEIT239071>
- [21] Mehra, A. (2023). Strategies for scaling EdTech startups in emerging markets. *International Journal of Communication Networks and Information Security*, 15(1), 259–274. <https://ijcnis.org>
- [22] Mehra, A. (2021). The impact of public-private partnerships on global educational platforms. *Journal of Informatics Education and Research*, 1(3), 9–28. <http://jier.org>
- [23] Ankur Mehra. (2019). Driving Growth in the Creator Economy through Strategic Content Partnerships. *International Journal for Research Publication and Seminar*, 10(2), 118–135. <https://doi.org/10.36676/jrps.v10.i2.1519>
- [24] Mehra, A. (2023). Leveraging Data-Driven Insights to Enhance Market Share in the Media Industry. *Journal for Research in Applied Sciences and Biotechnology*, 2(3), 291–304. <https://doi.org/10.55544/jrasb.2.3.37>
- [25] Ankur Mehra. (2022). Effective Team Management Strategies in Global Organizations. *Universal Research Reports*, 9(4), 409–425. <https://doi.org/10.36676/urr.v9.i4.1363>
- [26] Mehra, A. (2023). Innovation in brand collaborations for digital media platforms. *IJFANS International Journal of Food and Nutritional Sciences*, 12(6), 231. <https://doi.org/10.XXXX/xxxxx>
- [27] Ankur Mehra. (2022). Effective Team Management Strategies in Global Organizations. *Universal Research Reports*, 9(4), 409–425. <https://doi.org/10.36676/urr.v9.i4.1363>
- [28] Mehra, A. (2023). Leveraging Data-Driven Insights to Enhance Market Share in the Media Industry. *Journal for Research in Applied Sciences and Biotechnology*, 2(3), 291–304. <https://doi.org/10.55544/jrasb.2.3.37>
- [29] Ankur Mehra. (2022). Effective Team Management Strategies in Global Organizations. *Universal Research Reports*, 9(4), 409–425. <https://doi.org/10.36676/urr.v9.i4.1363>
- [30] Ankur Mehra. (2022). The Role of Strategic Alliances in the Growth of the Creator Economy. *European Economic Letters (EEL)*, 12(1). Retrieved from <https://www.eelet.org.uk/index.php/journal/article/view/1925>
- [31] V. K. R. Voddi, "Bike Sharing: An In-Depth Analysis on the Citi Bike Sharing System of Jersey City, NJ," 2023 6th International Conference on Recent Trends in Advance Computing (ICRTAC), Chennai, India, 2023, pp. 796-804, doi: 10.1109/ICRTAC59277.2023.10480792.
- [32] Bizel, G., Parmar, C., Singh, K., Teegala, S., & Voddi, V. K. R. (2021). Cultural health moments: A search analysis during times of heightened awareness to identify potential interception points with digital health consumers. *Journal of Economics and Management Sciences*, 4(4), 35. <https://doi.org/10.30560/jems.v4n4p35>
- [33] Reddy, V. V. K., & Reddy, K. K. (2021). COVID-19 case predictions: Anticipating future outbreaks through data. *NeuroQuantology*, 19(7), 461–466. https://www.neuroquantology.com/open-access/COVID-19+Case+Predictions%253A+Anticipating+Future+Outbreaks+Through+Data_14333/?download=true
- [34] 2023
- [35] Santhosh Palavesh. (2019). The Role of Open Innovation and Crowdsourcing in Generating New Business Ideas and Concepts. *International Journal for Research Publication and Seminar*, 10(4), 137–147. <https://doi.org/10.36676/jrps.v10.i4.1456>
- [36] Santosh Palavesh. (2021). Developing Business Concepts for Underserved Markets: Identifying and Addressing Unmet Needs in Niche or Emerging Markets. *Innovative Research Thoughts*, 7(3), 76–89. <https://doi.org/10.36676/irt.v7.i3.1437>
- [37] Palavesh, S. (2021). Co-Creating Business Concepts with Customers: Approaches to the Use of Customers in New Product/Service Development. *Integrated Journal for Research in Arts and Humanities*, 1(1), 54–66. <https://doi.org/10.55544/ijrah.1.1.9>
- [38] Santhosh Palavesh. (2022). Entrepreneurial Opportunities in the Circular Economy: Defining Business Concepts for Closed-Loop Systems and Resource Efficiency. *European Economic Letters (EEL)*, 12(2), 189–204. <https://doi.org/10.52783/eel.v12i2.1785>
- [39] Santhosh Palavesh. (2022). The Impact of Emerging Technologies (e.g., AI, Blockchain, IoT) On Conceptualizing and Delivering new Business Offerings. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(9), 160–173. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10955>

- [40] Santhosh Palavesh. (2021). Business Model Innovation: Strategies for Creating and Capturing Value Through Novel Business Concepts. *European Economic Letters (EEL)*, 11(1). <https://doi.org/10.52783/eel.v11i1.1784>
- [41] Santhosh Palavesh. (2023). Leveraging Lean Startup Principles: Developing And Testing Minimum Viable Products (Mvps) In New Business Ventures. *Educational Administration: Theory and Practice*, 29(4), 2418–2424. <https://doi.org/10.53555/kuey.v29i4.7141>
- [42] Palavesh, S. (2023). The role of design thinking in conceptualizing and validating new business ideas. *Journal of Informatics Education and Research*, 3(2), 3057.
- [43] Vijaya Venkata Sri Rama Bhaskar, Akhil Mittal, Santosh Palavesh, Krishnateja Shiva, Pradeep Etikani. (2020). Regulating AI in Fintech: Balancing Innovation with Consumer Protection. *European Economic Letters (EEL)*, 10(1). <https://doi.org/10.52783/eel.v10i1.1810>
- [44] Sri Sai Subramanyam Challa. (2023). Regulatory Intelligence: Leveraging Data Analytics for Regulatory Decision-Making. *International Journal on Recent and Innovation Trends in Computing and Communication*, 11(11), 1426–1434. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10893>
- [45] Challa, S. S. S. (2020). Assessing the regulatory implications of personalized medicine and the use of biomarkers in drug development and approval. *European Chemical Bulletin*, 9(4), 134-146.D.O.I 10.53555/ecb.v9:i4.17671
- [46] EVALUATING THE EFFECTIVENESS OF RISK-BASED APPROACHES IN STREAMLINING THE REGULATORY APPROVAL PROCESS FOR NOVEL THERAPIES. (2021). *Journal of Population Therapeutics and Clinical Pharmacology*, 28(2), 436-448. <https://doi.org/10.53555/jptcp.v28i2.7421>
- [47] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2019). Investigating the use of natural language processing (NLP) techniques in automating the extraction of regulatory requirements from unstructured data sources. *Annals of Pharma Research*, 7(5), 380-387.
- [48] Ashok Choppadandi. (2022). Exploring the Potential of Blockchain Technology in Enhancing Supply Chain Transparency and Compliance with Good Distribution Practices (GDP). *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(12), 336–343. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10981>
- [49] Challa, S. S. S., Chawda, A. D., Benke, A. P., & Tilala, M. (2020). Evaluating the use of machine learning algorithms in predicting drug-drug interactions and adverse events during the drug development process. *NeuroQuantology*, 18(12), 176-186. <https://doi.org/10.48047/nq.2020.18.12.NQ20252>
- [50] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2023). Investigating the impact of AI-assisted drug discovery on the efficiency and cost-effectiveness of pharmaceutical R&D. *Journal of Cardiovascular Disease Research*, 14(10), 2244.
- [51] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2022). Quality Management Systems in Regulatory Affairs: Implementation Challenges and Solutions. *Journal for Research in Applied Sciences and Biotechnology*, 1(3), 278–284. <https://doi.org/10.55544/jrasb.1.3.36>
- [52] Ranjit Kumar Gupta, Sagar Shukla, Anaswara Thekkan Rajan, & Sneha Aravind. (2022). Strategies for Effective Product Roadmap Development and Execution in Data Analytics Platforms. *International Journal for Research Publication and Seminar*, 13(1), 328–342. Retrieved from <https://jrps.shodhsagar.com/index.php/j/article/view/1515>
- [53] Ranjit Kumar Gupta, Sagar Shukla, Anaswara Thekkan Rajan, & Sneha Aravind. (2022). Leveraging Data Analytics to Improve User Satisfaction for Key Personas: The Impact of Feedback Loops. *International Journal for Research Publication and Seminar*, 11(4), 242–252. <https://doi.org/10.36676/jrps.v11.i4.1489>
- [54] Ranjit Kumar Gupta, Sagar Shukla, Anaswara Thekkan Rajan, Sneha Aravind, 2021. "Utilizing Splunk for Proactive Issue Resolution in Full Stack Development Projects" *ESP Journal of Engineering & Technology Advancements* 1(1): 57-64.
- [55] Sagar Shukla, Anaswara Thekkan Rajan, Sneha Aravind, Ranjit Kumar Gupta, Santosh Palavesh. (2023). Monetizing API Suites: Best Practices for Establishing Data Partnerships and Iterating on Customer Feedback. *European Economic Letters (EEL)*, 13(5), 2040–2053. <https://doi.org/10.52783/eel.v13i5.1798>
- [56] Sagar Shukla. (2021). Integrating Data Analytics Platforms with Machine Learning Workflows: Enhancing Predictive Capability and Revenue Growth. *International Journal on Recent and Innovation Trends in Computing and Communication*, 9(12), 63–74. Retrieved from <https://ijritcc.org/index.php/ijritcc/article/view/11119>
- [57] Shukla, S., Thekkan Rajan, A., Aravind, S., & Gupta, R. K. (2023). Implementing scalable big-data tech stacks in pre-seed start-ups: Challenges and strategies for realizing strategic vision. *International Journal of Communication Networks and Information Security*, 15(1).
- [58] Sneha Aravind. (2021). Integrating REST APIs in Single Page Applications using Angular and TypeScript. *International Journal of Intelligent Systems and Applications in Engineering*, 9(2), 81 –. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6829>
- [59] Aravind, S., Cherukuri, H., Gupta, R. K., Shukla, S., & Rajan, A. T. (2022). The role of HTML5 and CSS3 in creating optimized graphic prototype websites and application interfaces. *NeuroQuantology*, 20(12), 4522-4536. <https://doi.org/10.48047/NQ.2022.20.12.NQ77775>

- [60] Nikhil Singla. (2023). Assessing the Performance and Cost-Efficiency of Serverless Computing for Deploying and Scaling AI and ML Workloads in the Cloud. *International Journal of Intelligent Systems and Applications in Engineering*, 11(5s), 618–630. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6730>
- [61] Rishabh Rajesh Shanbhag, Rajkumar Balasubramanian, Ugandhar Dasi, Nikhil Singla, & Siddhant Benadikar. (2022). Case Studies and Best Practices in Cloud-Based Big Data Analytics for Process Control. *International Journal for Research Publication and Seminar*, 13(5), 292–311. <https://doi.org/10.36676/jrps.v13.i5.1462>
- [62] Siddhant Benadikar. (2021). Developing a Scalable and Efficient Cloud-Based Framework for Distributed Machine Learning. *International Journal of Intelligent Systems and Applications in Engineering*, 9(4), 288 –. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6761>
- [63] Siddhant Benadikar. (2021). Evaluating the Effectiveness of Cloud-Based AI and ML Techniques for Personalized Healthcare and Remote Patient Monitoring. *International Journal on Recent and Innovation Trends in Computing and Communication*, 9(10), 03–16. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/11036>
- [64] Rishabh Rajesh Shanbhag. (2023). Exploring the Use of Cloud-Based AI and ML for Real-Time Anomaly Detection and Predictive Maintenance in Industrial IoT Systems. *International Journal of Intelligent Systems and Applications in Engineering*, 11(4), 925 –. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6762>
- [65] Nikhil Singla. (2023). Assessing the Performance and Cost-Efficiency of Serverless Computing for Deploying and Scaling AI and ML Workloads in the Cloud. *International Journal of Intelligent Systems and Applications in Engineering*, 11(5s), 618–630. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/673>
- [66] Nikhil Singla. (2023). Assessing the Performance and Cost-Efficiency of Serverless Computing for Deploying and Scaling AI and ML Workloads in the Cloud. *International Journal of Intelligent Systems and Applications in Engineering*, 11(5s), 618–630. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6730>
- [67] Challa, S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2019). Investigating the use of natural language processing (NLP) techniques in automating the extraction of regulatory requirements from unstructured data sources. *Annals of PharmaResearch*, 7(5), 380-387.
- [68] Ritesh Chaturvedi. (2023). Robotic Process Automation (RPA) in Healthcare: Transforming Revenue Cycle Operations. *International Journal on Recent and Innovation Trends in Computing and Communication*, 11(6), 652–658. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/11045>
- [69] Chaturvedi, R., & Sharma, S. (2022). Assessing the Long-Term Benefits of Automated Remittance in Large Healthcare Networks. *Journal for Research in Applied Sciences and Biotechnology*, 1(5), 219–224. <https://doi.org/10.55544/jrasb.1.5.25>
- [70] Chaturvedi, R., & Sharma, S. (2022). Enhancing healthcare staffing efficiency with AI-powered demand management tools. *Eurasian Chemical Bulletin*, 11(Regular Issue 1), 675-681. <https://doi.org/10.5281/zenodo.13268360>
- [71] Dr. Saloni Sharma, & Ritesh Chaturvedi. (2017). Blockchain Technology in Healthcare Billing: Enhancing Transparency and Security. *International Journal for Research Publication and Seminar*, 10(2), 106–117. Retrieved from <https://jrps.shodhsagar.com/index.php/j/article/view/1475>
- [72] Dr. Saloni Sharma, & Ritesh Chaturvedi. (2017). Blockchain Technology in Healthcare Billing: Enhancing Transparency and Security. *International Journal for Research Publication and Seminar*, 10(2), 106–117. Retrieved from <https://jrps.shodhsagar.com/index.php/j/article/view/1475>
- [73] Saloni Sharma. (2020). AI-Driven Predictive Modelling for Early Disease Detection and Prevention. *International Journal on Recent and Innovation Trends in Computing and Communication*, 8(12), 27–36. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/11046>
- [74] Chaturvedi, R., & Sharma, S. (2022). Assessing the Long-Term Benefits of Automated Remittance in Large Healthcare Networks. *Journal for Research in Applied Sciences and Biotechnology*, 1(5), 219–224. <https://doi.org/10.55544/jrasb.1.5.25>
- [75] Pavan Ogeti, Narendra Sharad Fadnavis, Gireesh Bhaulal Patil, Uday Krishna Padyana, Hitesh Premshankar Rai. (2022). Blockchain Technology for Secure and Transparent Financial Transactions. *European Economic Letters (EEL)*, 12(2), 180–188. Retrieved from <https://www.eelet.org.uk/index.php/journal/article/view/1283>
- [76] Ogeti, P., Fadnavis, N. S., Patil, G. B., Padyana, U. K., & Rai, H. P. (2023). Edge computing vs. cloud computing: A comparative analysis of their roles and benefits. *Volume 20, No. 3*, 214-226.
- [77] Fadnavis, N. S., Patil, G. B., Padyana, U. K., Rai, H. P., & Ogeti, P. (2020). Machine learning applications in climate modeling and weather forecasting. *NeuroQuantology*, 18(6), 135-145. <https://doi.org/10.48047/nq.2020.18.6.NQ20194>
- [78] Narendra Sharad Fadnavis. (2021). Optimizing Scalability and Performance in Cloud Services: Strategies and Solutions. *International Journal on Recent and Innovation Trends in Computing and Communication*, 9(2), 14–21. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10889>
- [79] Gireesh Bhaulal Patil. (2022). AI-Driven Cloud Services: Enhancing Efficiency and Scalability in Modern Enterprises. *International Journal of Intelligent Systems and Applications in Engineering*, 10(1), 153–162. Retrieved from <https://ijisae.org/index.php/IJISAE/article/view/6728>

- [80] Padyana, U. K., Rai, H. P., Ogeti, P., Fadnavis, N. S., & Patil, G. B. (2023). AI and Machine Learning in Cloud-Based Internet of Things (IoT) Solutions: A Comprehensive Review and Analysis. *Integrated Journal for Research in Arts and Humanities*, 3(3), 121–132. <https://doi.org/10.55544/ijrah.3.3.20>
- [81] Patil, G. B., Padyana, U. K., Rai, H. P., Ogeti, P., & Fadnavis, N. S. (2021). Personalized marketing strategies through machine learning: Enhancing customer engagement. *Journal of Informatics Education and Research*, 1(1), 9. <http://jier.org>
- [82] Padyana, U. K., Rai, H. P., Ogeti, P., Fadnavis, N. S., & Patil, G. B. (2023). AI and Machine Learning in Cloud-Based Internet of Things (IoT) Solutions: A Comprehensive Review and Analysis. *Integrated Journal for Research in Arts and Humanities*, 3(3), 121–132. <https://doi.org/10.55544/ijrah.3.3.20>
- [83] Krishnateja Shiva. (2022). Leveraging Cloud Resource for Hyperparameter Tuning in Deep Learning Models. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(2), 30–35. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10980>
- [84] Shiva, K., Etikani, P., Bhaskar, V. V. S. R., Palavesh, S., & Dave, A. (2022). The rise of robo-advisors: AI-powered investment management for everyone. *Journal of Namibian Studies*, 31, 201-214.
- [85] Etikani, P., Bhaskar, V. V. S. R., Nuguri, S., Saoji, R., & Shiva, K. (2023). Automating machine learning workflows with cloud-based pipelines. *International Journal of Intelligent Systems and Applications in Engineering*, 11(1), 375–382. <https://doi.org/10.48047/ijisae.2023.11.1.375>
- [86] Etikani, P., Bhaskar, V. V. S. R., Palavesh, S., Saoji, R., & Shiva, K. (2023). AI-powered algorithmic trading strategies in the stock market. *International Journal of Intelligent Systems and Applications in Engineering*, 11(1), 264–277. https://doi.org/10.1234/ijsdip.org_2023-Volume-11-Issue-1_Page_264-277
- [87] Bhaskar, V. V. S. R., Etikani, P., Shiva, K., Choppadandi, A., & Dave, A. (2019). Building explainable AI systems with federated learning on the cloud. *Journal of Cloud Computing and Artificial Intelligence*, 16(1), 1–14.
- [88] Ogeti, P., Fadnavis, N. S., Patil, G. B., Padyana, U. K., & Rai, H. P. (2022). Blockchain technology for secure and transparent financial transactions. *European Economic Letters*, 12(2), 180-192. <http://eelet.org.uk>
- [89] Vijaya Venkata Sri Rama Bhaskar, Akhil Mittal, Santosh Palavesh, Krishnateja Shiva, Pradeep Etikani. (2020). Regulating AI in Fintech: Balancing Innovation with Consumer Protection. *European Economic Letters (EEL)*, 10(1). <https://doi.org/10.52783/eel.v10i1.1810>
- [90] Dave, A., Shiva, K., Etikani, P., Bhaskar, V. V. S. R., & Choppadandi, A. (2022). Serverless AI: Democratizing machine learning with cloud functions. *Journal of Informatics Education and Research*, 2(1), 22-35. <http://jier.org>
- [91] Dave, A., Etikani, P., Bhaskar, V. V. S. R., & Shiva, K. (2020). Biometric authentication for secure mobile payments. *Journal of Mobile Technology and Security*, 41(3), 245-259.
- [92] Saoji, R., Nuguri, S., Shiva, K., Etikani, P., & Bhaskar, V. V. S. R. (2021). Adaptive AI-based deep learning models for dynamic control in software-defined networks. *International Journal of Electrical and Electronics Engineering (IJEEE)*, 10(1), 89–100. ISSN (P): 2278–9944; ISSN (E): 2278–9952
- [93] Narendra Sharad Fadnavis. (2021). Optimizing Scalability and Performance in Cloud Services: Strategies and Solutions. *International Journal on Recent and Innovation Trends in Computing and Communication*, 9(2), 14–21. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10889>
- [94] Joel lopes, Arth Dave, Hemanth Swamy, Varun Nakra, & Akshay Agarwal. (2023). Machine Learning Techniques And Predictive Modeling For Retail Inventory Management Systems. *Educational Administration: Theory and Practice*, 29(4), 698–706. <https://doi.org/10.53555/kuey.v29i4.5645>
- [95] Nitin Prasad. (2022). Security Challenges and Solutions in Cloud-Based Artificial Intelligence and Machine Learning Systems. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(12), 286–292. Retrieved from <https://www.ijritcc.org/index.php/ijritcc/article/view/10750>
- [96] Prasad, N., Narukulla, N., Hajari, V. R., Paripati, L., & Shah, J. (2020). AI-driven data governance framework for cloud-based data analytics. *Volume 17, (2)*, 1551-1561.
- [97] Jigar Shah, Joel lopes, Nitin Prasad, Narendra Narukulla, Venudhar Rao Hajari, Lohith Paripati. (2023). Optimizing Resource Allocation And Scalability In Cloud-Based Machine Learning Models. *Migration Letters*, 20(S12), 1823–1832. Retrieved from <https://migrationletters.com/index.php/ml/article/view/10652>
- [98] Big Data Analytics using Machine Learning Techniques on Cloud Platforms. (2019). *International Journal of Business Management and Visuals*, ISSN: 3006-2705, 2(2), 54-58. <https://ijbmv.com/index.php/home/article/view/76>
- [99] Shah, J., Narukulla, N., Hajari, V. R., Paripati, L., & Prasad, N. (2021). Scalable machine learning infrastructure on cloud for large-scale data processing. *Tuijin Jishu/Journal of Propulsion Technology*, 42(2), 45-53.
- [100] Narukulla, N., Lopes, J., Hajari, V. R., Prasad, N., & Swamy, H. (2021). Real-time data processing and predictive analytics using cloud-based machine learning. *Tuijin Jishu/Journal of Propulsion Technology*, 42(4), 91-102
- [101] Secure Federated Learning Framework for Distributed Ai Model Training in Cloud Environments. (2019). *International Journal of Open Publication and Exploration*, ISSN: 3006-2853, 7(1), 31-39. <https://ijoape.com/index.php/home/article/view/145>

-
- [102] Paripati, L., Prasad, N., Shah, J., Narukulla, N., & Hajari, V. R. (2021). Blockchain-enabled data analytics for ensuring data integrity and trust in AI systems. *International Journal of Computer Science and Engineering (IJCSE)*, 10(2), 27–38. ISSN (P): 2278–9960; ISSN (E): 2278–9979.
- [103] Hajari, V. R., Prasad, N., Narukulla, N., Chaturvedi, R., & Sharma, S. (2023). Validation techniques for AI/ML components in medical diagnostic devices. *NeuroQuantology*, 21(4), 306-312. <https://doi.org/10.48047/NQ.2023.21.4.NQ23029>
- [104] Hajari, V. R., Chaturvedi, R., Sharma, S., Tilala, M., Chawda, A. D., & Benke, A. P. (2023). Interoperability testing strategies for medical IoT devices. *Tuijin Jishu/Journal of Propulsion Technology*, 44(1), 258. DOI: 10.36227/techrxiv.171340711.17793838/v1
- [105] P. V., V. R., & Chidambaranathan, S. (2023). Polyp segmentation using UNet and ENet. In *Proceedings of the 6th International Conference on Recent Trends in Advance Computing (ICRTAC)* (pp. 516-522). Chennai, India. <https://doi.org/10.1109/ICRTAC59277.2023.10480851>
- [106] Athisayaraj, A. A., Sathiyarayanan, M., Khan, S., Selvi, A. S., Briskilla, M. I., Jemima, P. P., Chidambaranathan, S., Sithik, A. S., Sivasankari, K., & Duraipandian, K. (2023). Smart thermal-cooler umbrella (UK Design No. 6329357).
- [107] Challa, S. S. S., Chawda, A. D., Benke, A. P., & Tilala, M. (2023). Regulatory intelligence: Leveraging data analytics for regulatory decision-making. *International Journal on Recent and Innovation Trends in Computing and Communication*, 11, 10.
- [108] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2019). Investigating the use of natural language processing (NLP) techniques in automating the extraction of regulatory requirements from unstructured data sources. *Annals of Pharma Research*, 7(5),
- [109] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2021). Navigating regulatory requirements for complex dosage forms: Insights from topical, parenteral, and ophthalmic products. *NeuroQuantology*, 19(12), 15.
- [110] Challa, S. S. S., Tilala, M., Chawda, A. D., & Benke, A. P. (2022). Quality management systems in regulatory affairs: Implementation challenges and solutions. *Journal for Research in Applied Sciences*